FENCE FEEDERS. FENCE DRINKERS. CHAFF BINS. DOG KENNELS



PO Box 1468 Auburn St. Wollongong NSW 2500

Phone: 1300 763 444 Fax: +61 2 4226 2208 Email: sales@spacepac.com.au ABN 98 002 454 462

WWW.SPACEPAC.COM.AU





## **Fence Drinker**

# STOCK TYPE

· HORSES , ALPACAS, POULTRY, DOGS

# **FEATURES**

- · Large 2" drain bung for easy cleaning
- · One piece durable design with float cover moulded in
- · Strong solid mounting flanges
- Available without brackets for mounting directly onto fence etc; or with brackets for hanging
- · UV stabilised for long outdoor life



PTS48W-NB



All fence
drinkers available in
those
POPULAR COLOURS!
6020

CODE	DESCRIPTION	CAPACITY LITRES	DIME L	NSIONS W	(MM) H
PTS48W	With brackets	8	300	300	220
PTS48W-NB	Without brackets	8	300	300	220
PTS49W	With brackets	25	450	370	340
PTS49W-NB	Without brackets	25	450	370	340

**45ltr Corner Drinker** 

• HORSES , ALPACAS, DONKEYS

STOCK TYPE

**FEATURES** 

# 45ltr D-Drinker

### STOCK TYPE

• HORSES , ALPACAS, DONKEYS

### **FEATURES**

- 45 litre 1 piece moulded drinker plus float and cover
- 1/2" high pressure float valve for reliable service
- Immensely strong construction
- Galvanised steel mounting brackets
- 2" drain bung for easy cleaning



PTS01W

PTS04W

CODE	CAPACITY	DIME	NSIONS	(MM)
	LITRES	L	W	H
PTS01W	45	540	410	380

# 6ltr Multi-Use Drinker STOCK TYPE

• HORSES, POULTRY, DOGS

## **FEATURES**

- 6 litre capacity drinker with ½" float and float cover
- Versatile drinker for use with many types of animals horses, dogs, poultry etc
- New & improved drain bung with screw cap
- UV stabilised for long outdoor life
- Galvanised mounting plate

CODE	CAPACITY LITRES	DIME L	NSIONS W	(MM) H
PTS04W	6	350	330	190





•	2" drain bung for ea

hrackets

asy cleaning Fits into a corner to preserve

Galvanised steel mounting

space



CODE	CAPACITY	DIME	NSIONS	(MM)
CODE	LITRES		W	
PTS15W	45	460	460	380

45 litre 1 piece moulded drinker plus float and cover

½" high pressure float valve for reliable service

# **Fence Drinker Spare Parts**

# **PTF120 FEATURES**

- 1/2" high pressure float valve suits mains pressure ± 100 psi
- Flow rate 20 litre/min at 15 psi to 50 litre/min at 100 psi

# **PTF12RW FEATURES**

- 1/2" float valve complete as used in PTS04W
- Suitable for mains pressure up to 100psi

CODE	DESCRIPTION	
PTFC12W	½" float valve and cover for PTS04W	
PTF12RW	½" float valve complete for PTS04W / PTS48W	
PTF12O	½" float valve complete for PTS01W / PTS15W / PTS49W	
PTA60	Float cover only for PTS04W	
PTA81	3/4" Drain bung for PTS04W	
PTA84	2" drain cap for PTS01W	



"I like the D-feeder for my pony. It has to cope with staying on the fence in all sorts of weather as I need to use it a lot. It stays on the fence or gate really well and the ponies don't knock it off. It can hold a lot of feed or water too, and is not too heavy for me to carry."

**COOTAMUNDRA, DANIEL, AGE 11** 



# 45ltr Bull D-Feeder

### STOCK TYPE

· HORSES , CATTLE

### **FEATURES**

- Extremely strong feed bin ideal for bulls
- · Rust free for long life
- · Galvanised steel mounting brackets

PTS02



CODE	CAPACITY	DIME	NSIONS	(MM)
	LITRES	L	W	H
PTS02	45	540	410	330

# 32ltr D-Feeder

### STOCK TYPE

HORSES, ALPACAS, DONKEYS, GOATS

## **FEATURES**

- Return lip around top prevents feed from being blown or dragged out
- Corrosion proof ideal for liquid feed supplements
- Proven durability
- · Galvanised steel mounting brackets



400

250

# **40Itr Corner Feeder**

32

# STOCK TYPE

PTS14

· HORSES, ALPACAS, DONKEYS, GOATS

440

### **FEATURES**

- · Based on the popular D-shape feeder
- Space saving corner design
- Corrosion proof UV stabilised
- · Galvanised steel mounting brackets

				PIS16	
CODE	CAPACITY LITRES	DIME L	NSIONS W	(MM) H	
PTS16	40	430	430	300	

# 15ltr Fence Feeder

# STOCK TYPE

HORSES, ALPACAS, DONKEYS, GOATS

### **FEATURES**

- · All poly construction rust free
- Easy to clean
- Proven durability in stockyards around the country
- UV stabilised for long outdoor life



CODE	CAPACITY	DIME	NSIONS	(MM)
	LITRES	L	W	H
PTS04F	15	450	340	250

# 32ltr Corner Feeder

## STOCK TYPE

HORSES, ALPACAS, DONKEYS, GOATS

# **FEATURES**

- · Space saving design
- · Corrosion proof ideal for supplement feeding
- · Easy to clean external turned over edges
- · Galvanised steel mounting brackets

PTS15

CODE	CAPACITY LITRES	DIME L	NSIONS W	(MM) H	RETAIL
PTS15	32	450	450	270	

# 15ltr Rail Feeder

# STOCK TYPE

 HORSES , ALPACAS, DONKEYS, GOATS

# **FEATURES**

 All polyethylene construction UV stabilised

NOTE: Suits rails up to 1" wide



CODE	CAPACITY	DIME	NSIONS	S (MM)
	LITRES	L	W	H
PTS20	15	505	250	240





# **Hay Feeder**

# STOCK TYPE

• HORSES , ALPACAS, DONKEYS

# **FEATURES**

- Lid prevents horse pulling biscuit out of hay rack
- Lid can be purchased separately to fit onto existing feeders
- Feed bin prevents valuable feed from falling onto ground
- Zinc plated hay compartment frame and galvanised brackets



CODE	DESCRIPTION	DIME L	NSIONS W	(MM) H
PTS03	Hay rack with lid	600	500	700
PTS03LD	Hay rack lid only (includes hinges)			
PTS03NL	Hay rack without lid	600	500	700



KEEP A LID ON IT... Lid design stops horses pulling out the biscuit and bin prevents feed falling onto the ground.





# **Rapid Step**

### USES

MOUNTING HORSES, MULTI-PURPOSE

### **FEATURES**

- · Ideal for mounting horses
- · Reduces strain for both saddle and horse
- · No sharp edges, this step is safe for your horse to walk around
- · Manufactured from polyethylene and is UV stabilised
- · Can easily be carried around using the integrated handle
- Safe and secure with a wide base and non-slip tread pattern
- · Available in six colours red, green, purple, blue, pink and yellow
- Maximum load 75kg

CODE	DESCRIPTION	DIMENSIONS DIA. X H (MM)	
PTRS1	Rapid Step	715 x 570	









## **SAFETY FIRST**

No sharp edges, this step is fully moulded as a 1-piece unit and safe for your horse to walk around.

PTRS1

# **Buckets and Scoops**

CODE	DESCRIPTION	CAPACITY LITRES	DIMENSIONS DIA. X H (MM)
PTSFB1	Feed Bucket	20	ø325 x 370
PTSFB2	Chaff Bucket	30	ø325 x 470
PTSC1	Feed Scoop	1	ø125 x 250
PTSC2	Feed Scoop	2.5	ø165 x 300
PTSC3	Feed Scoop	9	ø260 x 315

# FEED BUCKET

- 20 litre capacity
- Handgrip on bottom and a spout for easy pouring of liquids
- · Flat side on back for easy carrying

# **CHAFF BUCKET**

- 30 litre capacity
- · Flat side on back for easy carrying
- Handgrip on bottom

# **SCOOPS**

- Moulded handle and vent hole for ease of use
- Choice of 3 sizes





**EASY TO HANDLE**Strong & durable, these robust buckets and scoops will last for years!





# **Dog Kennels**

# **FEATURES**

- Stylish corrugated design
- · Off-set opening offers protection from the weather
- · Smooth finish with no sharp edges safe for your pet
- UV stabilised
- · One-piece no assembly required
- · Easy to clean & maintain hose it out

### OPTIONS

DP703

- Available in standard colours: Beige, Heritage Red or Heritage Green
- · Available in sizes: Large, Medium and Small

Large Dog Kennel

- · Raised floor in Large Kennel to assist with insulation
  - keeps your pet warmer in winter and cooler in summer. Also protects your pets from fleas and ticks

1000 x 800 x 950

420 x 440





**REWARD YOUR BEST FRIEND**Keep them warm & dry in Winter & cool in
Summer with these great kennel designs!



# **Automatic Pet Waterer**

# STOCK TYPE

• DOGS, CATS, BIRDS, POULTRY

# **FEATURES**

- · Continuous supply of fresh water
- · Automatic pressure shut off
- · Connects to any standard garden hose for outdoor use
- Connects to a soft drink bottle for indoor use (bottle not supplied)
- 2 litre bowl capacity

CODE	DESCRIPTION	DIMENSIONS L X W X H (MM)
PTPW	Pet waterer	285 x 240 x 115
PTF12RW	Spare float valve for PTPW	
PTPW-A	½" Adaptor for garden hose fittings	





# **Poultry Feeders & Drinkers**

# STOCK TYPE

• POULTRY, BIRDS

### **FEATURES**

- · Feeding holes reduce feed wastage
- · Fully UV stabilised poly construction to withstand the elements
- Carry handle on feeders
- · Optional weather hood available protects feed from rain

CODE	DESCRIPTION	CAPACITY LITRES	DIMENSIONS DIA. X HEIGHT (MM)
PP44F	Feeder	7	Dia. ø 370 x 400 h
PP44W	Drinker	9	Dia. ø 320 x 340 h
PP44HD	Hood suits PP44F	-	Dia. ø 440
PP45F	Feeder	24	Dia. ø 440 x 560 h
PP45W	Drinker	26	Dia. ø 400 x 490 h
PP45HD	Hood suits PP45F	-	Dia. ø 500









# **Beehive Storage Cells**

# USES

• STORAGE, POULTRY NEST BOXES

# **FEATURES**

- · Two sizes multiple uses
- Free standing no need for extra supports
- · Check your stock levels at a glance
- · Easy to access
- Modules bolt together for easy installation and additions
- Available in standard blue or in the popular colour range
   green, red, pink, purple or yellow

CODE	DESCRIPTION	DIMENSIONS L X W X H (MM)
PBHSC1	Hexagonal Storage Cell	450 x 400 x 340
PBHSC2	Hexagonal Storage Cell	300 x 200 x 175

NOTE: Cells sold individually, not as a set as pictured.





# ANIMAL CARE

# **Calf Shelter**

### STOCK TYPE

· CALVES, DOGS

### **FEATURES**

- Large door access
- Louvre style ventilation
- · Stackable, with anti-jam stacking tabs
- · Tough, UV stabilised polyethylene
- Tie-down anchorage option by allowing for holes to be drilled in base

CODE	DESCRIPTION	DIMENSIONS L X W X H (MM)	DOORWAY W X H (MM)	
DP509	Calf Shelter	1700 x 1200 x 1450	670 x 1200	

# Race Type Footrot Bath

### STOCK TYPE

· SHEEP, GOATS

### **FEATURES**

- This race type bath has an end to end linking feature that is ideal for placing in a sheep race
- Non slip ridges on floor open the hoof to increase chemical penetration
- Lightweight for easy handling and cleaning
- All poly, heavy duty, UV stabilised to withstand tough Australian conditions
- V-sides to prevent stock from removing their hooves from the chemical

CODE	DESCRIPTION	DIMENSIONS L X W X H (MM)	
DP508	Race Type Footrot Bath	2400 x 480 x 200	

# **Large Grain Shovel**

# **FEATURES**

- Smooth lightweight poly no splinters
- One piece moulding no separate parts
- Available in 5 colours green, red, blue, yellow & white







# **Poly Storage Box**

# **FEATURES**

- Excellent environment for litters
- · Easy to clean
- · Rust free poly construction
- Multi-purpose storage solution



CODE	DESCRIPTION	CAPACITY LITRES	DIMENSIONS L X W X H (MM)	
PPCB	Poly Storage Box	450	1220 x 720 x 650	
1				
			PPCB	